
Impact on Medicare Expenditures From Expanding Coverage of Infusion Therapy of Anti-Infective Drugs to the Home Setting: Appendix

June 2014

Prepared by:

Edward M. Drozd
Nora Hoban
Avalere Health LLC

Powered by:



APPENDIX: SNF to Home Infusion Migration Assumptions

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
BA1	Behavioral/Cognitive with No Restorative Nursing (ADL range 0 to 1)	BEHAVIORAL SYMPTOMS and COGNITIVE PERFORMANCE Cognitive impairment BIMS score \leq 9 or CPS \geq 3 OR Hallucinations or delusions OR Physical or verbal behavioral symptoms toward others, other behavioral symptoms, rejection of care, or wandering AND ADL score \leq 5 See Reduced Physical Function for restorative nursing services	9,242	68	*	0%
BA2	Behavioral/Cognitive with Restorative Nursing (ADL range 0 to 1)	BEHAVIORAL SYMPTOMS and COGNITIVE PERFORMANCE Cognitive impairment BIMS score \leq 9 or CPS \geq 3 OR Hallucinations or delusions OR Physical or verbal behavioral symptoms toward others, other behavioral symptoms, rejection of care, or wandering AND ADL score \leq 5 See Reduced Physical Function for restorative nursing services	362	*	*	0%
BB1	Behavioral/Cognitive with No Restorative Nursing (ADL range 2 to 5)	BEHAVIORAL SYMPTOMS and COGNITIVE PERFORMANCE Cognitive impairment BIMS score \leq 9 or CPS \geq 3 OR Hallucinations or delusions OR Physical or verbal behavioral symptoms toward others, other behavioral symptoms, rejection of care, or wandering AND ADL score \leq 5 See Reduced Physical Function for restorative nursing services	12,668	149	22	0%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
BB2	Behavioral/ Cognitive with Restorative Nursing (ADL range 2 to 5)	BEHAVIORAL SYMPTOMS and COGNITIVE PERFORMANCE Cognitive impairment BIMS score <=9 or CPS >=3 OR Hallucinations or delusions OR Physical or verbal behavioral symptoms toward others, other behavioral symptoms, rejection of care, or wandering AND ADL score <=5 See Reduced Physical Function for restorative nursing services	883	19	*	0%
CA1	Clinically Complex with No Depression (ADL range 0 to 1)	CLINICALLY COMPLEX Extensive Services, Special Care High or Special Care Low qualifier and ADL score of 0 or 1 OR Pneumonia; hemiplegia with ADL score >=5; surgical wounds or open lesions with treatment; burns; chemotherapy while a resident; oxygen therapy while a resident; IV medications while a resident; transfusions while a resident	41,810	2,813	773	75%
CA2	Clinically Complex with Depression (ADL range 0 to 1)	CLINICALLY COMPLEX Extensive Services, Special Care High or Special Care Low qualifier and ADL score of 0 or 1 OR Pneumonia; hemiplegia with ADL score >=5; surgical wounds or open lesions with treatment; burns; chemotherapy while a resident; oxygen therapy while a resident; IV medications while a resident; transfusions while a resident	2,895	150	49	75%
CB1	Clinically Complex with No Depression (ADL range 2 to 5)	CLINICALLY COMPLEX Extensive Services, Special Care High or Special Care Low qualifier and ADL score of 0 or 1 OR Pneumonia; hemiplegia with ADL score >=5; surgical wounds or open lesions with treatment; burns; chemotherapy while a resident; oxygen therapy while a resident; IV medications while a resident; transfusions while a resident	33,645	1,791	355	75%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
CB2	Clinically Complex with Depression (ADL range 2 to 5)	CLINICALLY COMPLEX Extensive Services, Special Care High or Special Care Low qualifier and ADL score of 0 or 1 OR Pneumonia; hemiplegia with ADL score >=5; surgical wounds or open lesions with treatment; burns; chemotherapy while a resident; oxygen therapy while a resident; IV medications while a resident; transfusions while a resident	2,329	102	19	75%
CC1	Clinically Complex with No Depression (ADL range 6 to 10)	CLINICALLY COMPLEX Extensive Services, Special Care High or Special Care Low qualifier and ADL score of 0 or 1 OR Pneumonia; hemiplegia with ADL score >=5; surgical wounds or open lesions with treatment; burns; chemotherapy while a resident; oxygen therapy while a resident; IV medications while a resident; transfusions while a resident	43,365	2,172	353	75%
CC2	Clinically Complex with Depression (ADL range 6 to 10)	CLINICALLY COMPLEX Extensive Services, Special Care High or Special Care Low qualifier and ADL score of 0 or 1 OR Pneumonia; hemiplegia with ADL score >=5; surgical wounds or open lesions with treatment; burns; chemotherapy while a resident; oxygen therapy while a resident; IV medications while a resident; transfusions while a resident	4,306	206	34	75%
CD1	Clinically Complex with No Depression (ADL range 11 to 14)	CLINICALLY COMPLEX Extensive Services, Special Care High or Special Care Low qualifier and ADL score of 0 or 1 OR Pneumonia; hemiplegia with ADL score >=5; surgical wounds or open lesions with treatment; burns; chemotherapy while a resident; oxygen therapy while a resident; IV medications while a resident; transfusions while a resident	35,809	1,843	295	0%
CD2	Clinically Complex with Depression (ADL range 11 to 14)	CLINICALLY COMPLEX Extensive Services, Special Care High or Special Care Low qualifier and ADL score of 0 or 1 OR Pneumonia; hemiplegia with ADL score >=5; surgical wounds or open lesions with treatment; burns; chemotherapy while a resident; oxygen therapy while a resident; IV medications while a resident; transfusions while a resident	4,987	256	34	0%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
CE1	Clinically Complex with No Depression (ADL range 15 to 16)	CLINICALLY COMPLEX Extensive Services, Special Care High or Special Care Low qualifier and ADL score of 0 or 1 OR Pneumonia; hemiplegia with ADL score >=5; surgical wounds or open lesions with treatment; burns; chemotherapy while a resident; oxygen therapy while a resident; IV medications while a resident; transfusions while a resident	14,560	832	123	0%
CE2	Clinically Complex with Depression (ADL range 15 to 16)	CLINICALLY COMPLEX Extensive Services, Special Care High or Special Care Low qualifier and ADL score of 0 or 1 OR Pneumonia; hemiplegia with ADL score >=5; surgical wounds or open lesions with treatment; burns; chemotherapy while a resident; oxygen therapy while a resident; IV medications while a resident; transfusions while a resident	3,382	147	21	0%
ES1	Extensive Services Level 1 (ADL range 2 to 16)	EXTENSIVE SERVICES Tracheostomy care, ventilator/respirator, or isolation for active infectious disease while a resident AND ADL score of 2 or more	14,692	1,115	447	75%
ES2	Extensive Services Level 2 (ADL range 2 to 16)	EXTENSIVE SERVICES Tracheostomy care, ventilator/respirator, or isolation for active infectious disease while a resident AND ADL score of 2 or more	7,227	642	112	50%
ES3	Extensive Services Level 3 (ADL range 2 to 16)	EXTENSIVE SERVICES Tracheostomy care, ventilator/respirator, or isolation for active infectious disease while a resident AND ADL score of 2 or more	7,098	1,018	200	25%
HB1	Special Care High with No Depression (ADL range 2 to 5)	SPECIAL CARE Comatose; septicemia; diabetes with daily injections and order change on 2 or more days; quadriplegia with ADL score >=5; chronic obstructive pulmonary disease and shortness of breath when lying flat; fever with pneumonia, or vomiting, or weight loss, or feeding tube; parenteral/IV feedings; respiratory therapy for 7 days AND ADL score of 2 or more	24,624	1,286	332	50%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
HB2	Special Care High with Depression (ADL range 2 to 5)	SPECIAL CARE Comatose; septicemia; diabetes with daily injections and order change on 2 or more days; quadriplegia with ADL score >=5; chronic obstructive pulmonary disease and shortness of breath when lying flat; fever with pneumonia, or vomiting, or weight loss, or feeding tube; parenteral/IV feedings; respiratory therapy for 7 days AND ADL score of 2 or more	3,850	149	39	50%
HC1	Special Care High with No Depression (ADL range 6 to 10)	SPECIAL CARE Comatose; septicemia; diabetes with daily injections and order change on 2 or more days; quadriplegia with ADL score >=5; chronic obstructive pulmonary disease and shortness of breath when lying flat; fever with pneumonia, or vomiting, or weight loss, or feeding tube; parenteral/IV feedings; respiratory therapy for 7 days AND ADL score of 2 or more	27,046	1,641	329	25%
HC2	Special Care High with Depression (ADL range 6 to 10)	SPECIAL CARE Comatose; septicemia; diabetes with daily injections and order change on 2 or more days; quadriplegia with ADL score >=5; chronic obstructive pulmonary disease and shortness of breath when lying flat; fever with pneumonia, or vomiting, or weight loss, or feeding tube; parenteral/IV feedings; respiratory therapy for 7 days AND ADL score of 2 or more	4,868	255	64	25%
HD1	Special Care High with No Depression (ADL range 11 to 14)	SPECIAL CARE Comatose; septicemia; diabetes with daily injections and order change on 2 or more days; quadriplegia with ADL score >=5; chronic obstructive pulmonary disease and shortness of breath when lying flat; fever with pneumonia, or vomiting, or weight loss, or feeding tube; parenteral/IV feedings; respiratory therapy for 7 days AND ADL score of 2 or more	30,807	2,262	509	0%
HD2	Special Care High with Depression (ADL range 11 to 14)	SPECIAL CARE Comatose; septicemia; diabetes with daily injections and order change on 2 or more days; quadriplegia with ADL score >=5; chronic obstructive pulmonary disease and shortness of breath when lying flat; fever with pneumonia, or vomiting, or weight loss, or feeding tube; parenteral/IV feedings; respiratory therapy for 7 days AND ADL score of 2 or more	6,428	436	75	0%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
HE1	Special Care High with No Depression (ADL range 15 to 16)	SPECIAL CARE Comatose; septicemia; diabetes with daily injections and order change on 2 or more days; quadriplegia with ADL score >=5; chronic obstructive pulmonary disease and shortness of breath when lying flat; fever with pneumonia, or vomiting, or weight loss, or feeding tube; parenteral/IV feedings; respiratory therapy for 7 days AND ADL score of 2 or more	22,717	1,952	393	0%
HE2	Special Care High with Depression (ADL range 15 to 16)	SPECIAL CARE Comatose; septicemia; diabetes with daily injections and order change on 2 or more days; quadriplegia with ADL score >=5; chronic obstructive pulmonary disease and shortness of breath when lying flat; fever with pneumonia, or vomiting, or weight loss, or feeding tube; parenteral/IV feedings; respiratory therapy for 7 days AND ADL score of 2 or more	6,965	565	97	0%
LB1	Special Care Low with No Depression (ADL range 2 to 5)	SPECIAL CARE Cerebral palsy, multiple sclerosis, or Parkinson's disease with ADL score >=5; respiratory failure and oxygen therapy while a resident; feeding tube (calories >=51% or calories =26%-50% and fluid >=501 cc); ulcers (2 or more stage II or 1 or more stage III or IV pressure ulcers; or 2 or more venous/arterial ulcers; or 1 stage II pressure ulcer and 1 venous/arterial ulcer) with 2 or more skin care treatments; foot infection/diabetic foot ulcer/open lesions of foot with treatment; radiation therapy while a resident; dialysis while a resident AND ADL score of 2 or more	13,247	783	156	50%
LB2	Special Care Low with Depression (ADL range 2 to 5)	SPECIAL CARE Cerebral palsy, multiple sclerosis, or Parkinson's disease with ADL score >=5; respiratory failure and oxygen therapy while a resident; feeding tube (calories >=51% or calories =26%-50% and fluid >=501 cc); ulcers (2 or more stage II or 1 or more stage III or IV pressure ulcers; or 2 or more venous/arterial ulcers; or 1 stage II pressure ulcer and 1 venous/arterial ulcer) with 2 or more skin care treatments; foot infection/diabetic foot ulcer/open lesions of foot with treatment; radiation therapy while a resident; dialysis while a resident AND ADL score of 2 or more	1,464	61	*	50%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
LC1	Special Care Low with No Depression (ADL range 6 to 10)	SPECIAL CARE Cerebral palsy, multiple sclerosis, or Parkinson's disease with ADL score >=5; respiratory failure and oxygen therapy while a resident; feeding tube (calories >=51% or calories =26%-50% and fluid >=501 cc); ulcers (2 or more stage II or 1 or more stage III or IV pressure ulcers; or 2 or more venous/arterial ulcers; or 1 stage II pressure ulcer and 1 venous/arterial ulcer) with 2 or more skin care treatments; foot infection/diabetic foot ulcer/open lesions of foot with treatment; radiation therapy while a resident; dialysis while a resident AND ADL score of 2 or more	31,493	1,731	277	50%
LC2	Special Care Low with Depression (ADL range 6 to 10)	SPECIAL CARE Cerebral palsy, multiple sclerosis, or Parkinson's disease with ADL score >=5; respiratory failure and oxygen therapy while a resident; feeding tube (calories >=51% or calories =26%-50% and fluid >=501 cc); ulcers (2 or more stage II or 1 or more stage III or IV pressure ulcers; or 2 or more venous/arterial ulcers; or 1 stage II pressure ulcer and 1 venous/arterial ulcer) with 2 or more skin care treatments; foot infection/diabetic foot ulcer/open lesions of foot with treatment; radiation therapy while a resident; dialysis while a resident AND ADL score of 2 or more	3,785	158	23	50%
LD1	Special Care Low with No Depression (ADL range 11 to 14)	SPECIAL CARE Cerebral palsy, multiple sclerosis, or Parkinson's disease with ADL score >=5; respiratory failure and oxygen therapy while a resident; feeding tube (calories >=51% or calories =26%-50% and fluid >=501 cc); ulcers (2 or more stage II or 1 or more stage III or IV pressure ulcers; or 2 or more venous/arterial ulcers; or 1 stage II pressure ulcer and 1 venous/arterial ulcer) with 2 or more skin care treatments; foot infection/diabetic foot ulcer/open lesions of foot with treatment; radiation therapy while a resident; dialysis while a resident AND ADL score of 2 or more	40,066	2,480	412	0%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
LD2	Special Care Low with Depression (ADL range 11 to 14)	SPECIAL CARE Cerebral palsy, multiple sclerosis, or Parkinson's disease with ADL score >=5; respiratory failure and oxygen therapy while a resident; feeding tube (calories >=51% or calories =26%-50% and fluid >=501 cc); ulcers (2 or more stage II or 1 or more stage III or IV pressure ulcers; or 2 or more venous/arterial ulcers; or 1 stage II pressure ulcer and 1 venous/arterial ulcer) with 2 or more skin care treatments; foot infection/diabetic foot ulcer/open lesions of foot with treatment; radiation therapy while a resident; dialysis while a resident AND ADL score of 2 or more	6,235	301	50	0%
LE1	Special Care Low with No Depression (ADL range 15 to 16)	SPECIAL CARE Cerebral palsy, multiple sclerosis, or Parkinson's disease with ADL score >=5; respiratory failure and oxygen therapy while a resident; feeding tube (calories >=51% or calories =26%-50% and fluid >=501 cc); ulcers (2 or more stage II or 1 or more stage III or IV pressure ulcers; or 2 or more venous/arterial ulcers; or 1 stage II pressure ulcer and 1 venous/arterial ulcer) with 2 or more skin care treatments; foot infection/diabetic foot ulcer/open lesions of foot with treatment; radiation therapy while a resident; dialysis while a resident AND ADL score of 2 or more	29,138	1,933	310	0%
LE2	Special Care Low with Depression (ADL range 15 to 16)	SPECIAL CARE Cerebral palsy, multiple sclerosis, or Parkinson's disease with ADL score >=5; respiratory failure and oxygen therapy while a resident; feeding tube (calories >=51% or calories =26%-50% and fluid >=501 cc); ulcers (2 or more stage II or 1 or more stage III or IV pressure ulcers; or 2 or more venous/arterial ulcers; or 1 stage II pressure ulcer and 1 venous/arterial ulcer) with 2 or more skin care treatments; foot infection/diabetic foot ulcer/open lesions of foot with treatment; radiation therapy while a resident; dialysis while a resident AND ADL score of 2 or more	5,894	303	40	0%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
PA1	Reduced Physical Function with No Rest. Nursing (ADL range 0 to 1)	<p>REDUCED PHYSICAL FUNCTION</p> <p>Restorative nursing services:</p> <ul style="list-style-type: none"> • urinary and/or bowel training program • passive and/or active ROM • amputation/prosthesis care training • splint or brace assistance • dressing or grooming training • eating or swallowing training • transfer training • bed mobility and/or walking training • communication training <p>NOTES: No clinical variables used</p>	18,865	274	46	100%
PA2	Reduced Physical Function with Rest. Nursing (ADL range 0 to 1)	<p>REDUCED PHYSICAL FUNCTION</p> <p>Restorative nursing services:</p> <ul style="list-style-type: none"> • urinary and/or bowel training program • passive and/or active ROM • amputation/prosthesis care training • splint or brace assistance • dressing or grooming training • eating or swallowing training • transfer training • bed mobility and/or walking training • communication training <p>NOTES: No clinical variables used</p>	424	*	*	100%
PB1	Reduced Physical Function with No Rest. Nursing (ADL range 2 to 5)	<p>REDUCED PHYSICAL FUNCTION</p> <p>Restorative nursing services:</p> <ul style="list-style-type: none"> • urinary and/or bowel training program • passive and/or active ROM • amputation/prosthesis care training • splint or brace assistance • dressing or grooming training • eating or swallowing training • transfer training • bed mobility and/or walking training • communication training <p>NOTES: No clinical variables used</p>	20,750	300	42	100%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
PB2	Reduced Physical Function with Rest. Nursing (ADL range 2 to 5)	<p>REDUCED PHYSICAL FUNCTION</p> <p>Restorative nursing services:</p> <ul style="list-style-type: none"> • urinary and/or bowel training program • passive and/or active ROM • amputation/prosthesis care training • splint or brace assistance • dressing or grooming training • eating or swallowing training • transfer training • bed mobility and/or walking training • communication training <p>NOTES: No clinical variables used</p>	773	18	*	100%
PC1	Reduced Physical Function with No Rest. Nursing (ADL range 6 to 10)	<p>REDUCED PHYSICAL FUNCTION</p> <p>Restorative nursing services:</p> <ul style="list-style-type: none"> • urinary and/or bowel training program • passive and/or active ROM • amputation/prosthesis care training • splint or brace assistance • dressing or grooming training • eating or swallowing training • transfer training • bed mobility and/or walking training • communication training <p>NOTES: No clinical variables used</p>	37,805	742	89	75%
PC2	Reduced Physical Function with Rest. Nursing (ADL range 6 to 10)	<p>REDUCED PHYSICAL FUNCTION</p> <p>Restorative nursing services:</p> <ul style="list-style-type: none"> • urinary and/or bowel training program • passive and/or active ROM • amputation/prosthesis care training • splint or brace assistance • dressing or grooming training • eating or swallowing training • transfer training • bed mobility and/or walking training • communication training <p>NOTES: No clinical variables used</p>	3,020	75	*	75%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
PD1	Reduced Physical Function with No Rest. Nursing (ADL range 11 to 14)	<p>REDUCED PHYSICAL FUNCTION</p> <p>Restorative nursing services:</p> <ul style="list-style-type: none"> • urinary and/or bowel training program • passive and/or active ROM • amputation/prosthesis care training • splint or brace assistance • dressing or grooming training • eating or swallowing training • transfer training • bed mobility and/or walking training • communication training <p>NOTES: No clinical variables used</p>	26,291	651	67	0%
PD2	Reduced Physical Function with Rest. Nursing (ADL range 11 to 14)	<p>REDUCED PHYSICAL FUNCTION</p> <p>Restorative nursing services:</p> <ul style="list-style-type: none"> • urinary and/or bowel training program • passive and/or active ROM • amputation/prosthesis care training • splint or brace assistance • dressing or grooming training • eating or swallowing training • transfer training • bed mobility and/or walking training • communication training <p>NOTES: No clinical variables used</p>	1,604	56	*	0%
PE1	Reduced Physical Function with No Rest. Nursing (ADL range 15 to 16)	<p>REDUCED PHYSICAL FUNCTION</p> <p>Restorative nursing services:</p> <ul style="list-style-type: none"> • urinary and/or bowel training program • passive and/or active ROM • amputation/prosthesis care training • splint or brace assistance • dressing or grooming training • eating or swallowing training • transfer training • bed mobility and/or walking training • communication training <p>NOTES: No clinical variables used</p>	11,371	315	38	0%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
PE2	Reduced Physical Function with Rest. Nursing (ADL range 15 to 16)	<p>REDUCED PHYSICAL FUNCTION</p> <p>Restorative nursing services:</p> <ul style="list-style-type: none"> • urinary and/or bowel training program • passive and/or active ROM • amputation/prosthesis care training • splint or brace assistance • dressing or grooming training • eating or swallowing training • transfer training • bed mobility and/or walking training • communication training <p>NOTES: No clinical variables used</p>	788	33	*	0%
RHA	Rehabilitation High (ADL range 0 to 5)	<p>HIGH REHABILITATION</p> <p>Rehabilitation Rx 325 minutes/week minimum</p> <p>AND</p> <p>At least 1 rehabilitation discipline 5 days/week</p>	155,275	3,807	690	75%
RHB	Rehabilitation High (ADL range 6 to 10)	<p>HIGH REHABILITATION</p> <p>Rehabilitation Rx 325 minutes/week minimum</p> <p>AND</p> <p>At least 1 rehabilitation discipline 5 days/week</p>	153,944	4,937	753	75%
RHC	Rehabilitation High (ADL range 11 to 16)	<p>HIGH REHABILITATION</p> <p>Rehabilitation Rx 325 minutes/week minimum</p> <p>AND</p> <p>At least 1 rehabilitation discipline 5 days/week</p>	158,880	7,294	1,163	0%
RHL	Rehabilitation High and Extensive (ADL range 2 to 10)	<p>HIGH REHABILITATION PLUS EXTENSIVE SERVICES</p> <p>Rehabilitation Rx 325 minutes/week minimum</p> <p>AND</p> <p>At least 1 rehabilitation discipline 5 days/week;</p> <p>AND</p> <p>Tracheostomy care, ventilator/respirator, or isolation for active infectious disease while a resident</p> <p>AND</p> <p>ADL score of 2 or more</p>	7,450	430	148	50%
RHX	Rehabilitation High and Extensive (ADL range 11 to 16)	<p>HIGH REHABILITATION PLUS EXTENSIVE SERVICES</p> <p>Rehabilitation Rx 325 minutes/week minimum</p> <p>AND</p> <p>At least 1 rehabilitation discipline 5 days/week;</p> <p>AND</p> <p>Tracheostomy care, ventilator/respirator, or isolation for active infectious disease while a resident</p> <p>AND</p> <p>ADL score of 2 or more</p>	7,395	706	215	0%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
RLA	Rehabilitation Low (ADL range 0 to 10)	LOW REHABILITATION Rehabilitation Rx 45 minutes/week minimum AND 3 days any combination of 3 rehabilitation disciplines; AND Restorative nursing 6 days/week, 2 services (see Reduced Physical Function (below) for restorative nursing services)	3,157	69	13	0%
RLB	Rehabilitation Low (ADL range 11 to 16)	LOW REHABILITATION Rehabilitation Rx 45 minutes/week minimum AND 3 days any combination of 3 rehabilitation disciplines; AND Restorative nursing 6 days/week, 2 services (see Reduced Physical Function (below) for restorative nursing services)	4,842	214	31	0%
RLX	Rehabilitation Low and Extensive (ADL range 2 to 16)	LOW REHABILITATION PLUS EXTENSIVE SERVICES Rehabilitation Rx 45 minutes/week minimum AND 3 days any combination of 3 rehabilitation disciplines; AND Restorative nursing 6 days/week, 2 services (see Reduced Physical Function (below) for restorative nursing services); AND Tracheostomy care, ventilator/respirator, or isolation for active infectious disease while a resident AND ADL score of 2 or more	319	11	*	75%
RMA	Rehabilitation Medium (ADL range 0 to 5)	MEDIUM REHABILITATION Rehabilitation Rx 150 minutes/week minimum AND 5 days any combination of 3 rehabilitation disciplines	124,665	2,971	562	50%
RMB	Rehabilitation Medium (ADL range 6 to 10)	MEDIUM REHABILITATION Rehabilitation Rx 150 minutes/week minimum AND 5 days any combination of 3 rehabilitation disciplines	126,568	4,238	667	50%
RMC	Rehabilitation Medium (ADL range 11 to 16)	MEDIUM REHABILITATION Rehabilitation Rx 150 minutes/week minimum AND 5 days any combination of 3 rehabilitation disciplines	151,985	7,094	1,116	0%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
RML	Rehabilitation Medium and Extensive (ADL range 2 to 10)	MEDIUM REHABILITATION PLUS EXTENSIVE SERVICES Rehabilitation Rx 150 minutes/week minimum AND 5 days any combination of 3 rehabilitation disciplines; AND Tracheostomy care, ventilator/respirator, or isolation for active infectious disease while a resident AND ADL score of 2 or more	6,663	343	117	50%
RMX	Rehabilitation Medium and Extensive (ADL range 11 to 16)	MEDIUM REHABILITATION PLUS EXTENSIVE SERVICES Rehabilitation Rx 150 minutes/week minimum AND 5 days any combination of 3 rehabilitation disciplines; AND Tracheostomy care, ventilator/respirator, or isolation for active infectious disease while a resident AND ADL score of 2 or more	8,611	786	199	0%
RUA	Rehabilitation Ultra High (ADL range 0 to 5)	ULTRA HIGH REHABILITATION Rehabilitation Rx 720 minutes/week minimum AND At least 1 rehabilitation discipline 5 days/week AND A second rehabilitation discipline 3 days/week	421,050	11,123	1,856	0%
RUB	Rehabilitation Ultra High (ADL range 6 to 10)	ULTRA HIGH REHABILITATION Rehabilitation Rx 720 minutes/week minimum AND At least 1 rehabilitation discipline 5 days/week AND A second rehabilitation discipline 3 days/week	576,460	21,520	3,078	0%
RUC	Rehabilitation Ultra High (ADL range 11 to 16)	ULTRA HIGH REHABILITATION Rehabilitation Rx 720 minutes/week minimum AND At least 1 rehabilitation discipline 5 days/week AND A second rehabilitation discipline 3 days/week	404,764	21,411	2,986	0%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
RUL	Rehabilitation Ultra High and Extensive (ADL range 2 to 10)	ULTRA HIGH REHABILITATION PLUS EXTENSIVE SERVICES Rehabilitation Rx 720 minutes/week minimum AND At least 1 rehabilitation discipline 5 days/week AND A second rehabilitation discipline 3 days/week AND Tracheostomy care, ventilator/respirator, or isolation for active infectious disease while a resident AND ADL score of 2 or more	16,389	1,337	425	0%
RUX	Rehabilitation Ultra High and Extensive (ADL range 11 to 16)	ULTRA HIGH REHABILITATION PLUS EXTENSIVE SERVICES Rehabilitation Rx 720 minutes/week minimum AND At least 1 rehabilitation discipline 5 days/week AND A second rehabilitation discipline 3 days/week AND Tracheostomy care, ventilator/respirator, or isolation for active infectious disease while a resident AND ADL score of 2 or more	15,811	2,099	549	0%
RVA	Rehabilitation Very High (ADL range 0 to 5)	VERY HIGH REHABILITATION Rehabilitation Rx 500 minutes/week minimum AND At least 1 rehabilitation discipline 5 days/week	343,117	8,343	1,439	50%
RVB	Rehabilitation Very High (ADL range 6 to 10)	VERY HIGH REHABILITATION Rehabilitation Rx 500 minutes/week minimum AND At least 1 rehabilitation discipline 5 days/week	374,951	12,992	2,008	50%
RVC	Rehabilitation Very High (ADL range 11 to 16)	VERY HIGH REHABILITATION Rehabilitation Rx 500 minutes/week minimum AND At least 1 rehabilitation discipline 5 days/week	306,580	15,204	2,314	0%

RUG	RUG Description	RUG Criteria	Total Number of SNF Claims	SNF Claims with IV Revenue Center	SNF Claims with IV Revenue Center and Infection Diagnosis	Percent of Claims to Migrate to Home Infusion
RVL	Rehabilitation Very High and Extensive (ADL range 2 to 10)	VERY HIGH REHABILITATION PLUS EXTENSIVE SERVICES: Rehabilitation Rx 500 minutes/week minimum AND At least 1 rehabilitation discipline 5 days/week AND Tracheostomy care, ventilator/respirator, or isolation for active infectious disease while a resident AND ADL score of 2 or more	14,024	961	298	0%
RVX	Rehabilitation Very High and Extensive (ADL range 11 to 16)	VERY HIGH REHABILITATION PLUS EXTENSIVE SERVICES: Rehabilitation Rx 500 minutes/week minimum AND At least 1 rehabilitation discipline 5 days/week AND Tracheostomy care, ventilator/respirator, or isolation for active infectious disease while a resident AND ADL score of 2 or more	13,085	1,483	431	0%

NOTES: An asterisk (*) indicates that fewer than 11 2012 SNF claims satisfied the indicated criteria
Source: 2012 100% Medicare SNF Standard Analytic Files

About Us

Avalere is a vibrant community of innovative thinkers dedicated to solving the challenges of the healthcare system. We deliver a comprehensive perspective, compelling substance, and creative solutions to help you make better business decisions. We partner with stakeholders from across healthcare to help improve care delivery through better data, insights, and strategies. For more information, please contact Jessica Gerber at jgerber@avalere.com. You can also visit us at www.avalere.com. We look forward to working with you.

Contact Us

Avalere Health

1350 Connecticut Ave, NW Suite 900

Washington, DC 20036

202.207.1300 | Fax 202.467.4455

www.avalere.com